

AMENDMENTS TO THE CLAIMS

The following is a complete, marked-up listing of revised claims with a status identifier in parenthesis, underlined text indicating insertions, and strike through and/or double-bracketed text indicating deletions.

LISTING OF CLAIMS:

1. (Cancelled)
2. (Currently Amended) A device as claimed in claim ~~[[1]]~~ 11, wherein said anchoring member comprises a second part arranged to travel in a groove formed in said retainer member.
3. (Previously Presented) A device as claimed in claim 2, wherein said second part of the anchoring member, is joined to said first part by an interconnection device.
4. (Previously Presented) A device as claimed in claim 3, wherein said interconnection device is arranged to lock the device in said second position.
5. (Currently Amended) A device as claimed in claim ~~[[1]]~~ 11, wherein said anchoring member part, which upon displacement of said device from the first position to the second position, penetrates into said jointing substance, has a length along the lateral edge of the insulating-glass sheet that exceeds the spacing between two juxtaposed insulating-glass sheets.
6. (Previously Presented) A device as claimed in claim 5, wherein said part of the anchoring member is serrated.

7. (Previously Presented) A device as claimed in claim 2, wherein said groove is undercut and wherein said anchoring member is arranged for tilting movement about an axis adjacent and along the opening of said groove.

8. (Currently Amended) A device as claimed in claim ~~[[1]]~~ 11, wherein said anchoring member is formed with protruding and a spring-biased device, said device, upon movement of said anchoring member from said first position to said second position, fitting in said second position into recesses of complementary configuration formed on the retainer member.

9. (Currently Amended) A device as claimed in claim ~~[[1]]~~ 11, wherein said retainer member is provided with resilient mouldings arranged to abut against the insulating-glass sheets.

10. (Currently Amended) A device as claimed in claim ~~[[1]]~~ 11, wherein said anchoring member comprises a resilient portion on the face of the anchoring member that in use is turned towards the edge of the glass slab for abutment of said portion against said edge.

11. (New) A device in glass wall claddings for mounting insulating-glass sheets, each glass sheet having at least two glass slabs which are joined together by a jointing substance, said device comprising:

- a retainer member; and
- an anchoring member,

wherein said retainer member has an articulated connection to said anchoring member, such that said anchoring member is rotatable from a first position to a second position,

in said first position, said device, upon mounting of said insulating-glass sheet, allows the insulating-glass sheet to be placed in a desired position, and

in said second position, said device grips at least one glass slab of said insulating-glass sheet,

wherein a portion of the anchoring member, upon mounting of an insulating-glass sheet, is arranged to penetrate into said jointing substance of an insulating-glass sheet as the anchoring member of the device is guided from said first position to said second position, in response to the anchoring member being tilted to said second position.